# subject and title index 1982

## Plastics Engineering, Volume 38


### A

*1. ABS*

**Alloys of PC and ABS exhibit color stability indoors,** S. L. Cohen, N. R. Lazear, and M. P. Dubreuil, August, p. 23.

*2. Additives*

**New additives continue to diversify, specialize,** May, p. 65

**Additives 1982—A multiplicity of problem solvers,** J. A. Mock, June, p. 29

**More additives for the processor,** August, p. 37

**Additives continue to address processing needs,** September, p. 26

**Additives roundup: November,** November, p. 35

*3. Adipates*

**Alternative adipates to DOA in foodwrap film,** H. P. Harris, M. T. Payne, and J. P. Mieure, October, p. 25

*4. Alloys*

**Alloys of PC and ABS exhibit color stability indoors,** S. L. Cohen, N. R. Lazear, and M. P. Dubreuil, August, p. 23

*5. Amide-imide*

**Molding tricky amide-imide polymers,** L. D. Spaulding, March, p. 25

*6. ANTEC*

**ANTEC addresses the problems and challenges of the plastics industry,** July, p. 46

*7. Antioxidants*

**Stabilizers and antioxidants for polyolefins—an update,** J. A. Mock, April, p. 35

**Stabilizing LLDPE with antioxidants during processing—and afterward,** G. Scarry and P. D. Smith, December, p. 37

*8. Applications*

**Plastics processing—key to the applications of the eighties,** R. Wark and R. Eller, January, p. 31

**New applications keep in step with materials and processing advances of glass fiber-reinforced plastics,** J. S. Hearons, December, p. 17

*9. Automotive*

**Automotive plastics extend drive to oust traditional materials,** J. A. Mock, September, p. 27

### B

*10. Blends*

**Formulating blends of LLDPE and LDPE to design better film,** C. S. Speed, July, p. 39

*11. Blowmolding*

**Sodium borohydride—a novel blowing agent for structural foams,** J. A. Gribens and N. M. Rei, March, p. 29

**Blow parts from preforms open at both ends,** G. R. VerHage, July, p. 23

**Design molds with moving sections to blow irregularly shaped parts,** D. L. Peters, October, p. 21

*12. Blown Film*

**Blown film cooling: an update,** R. J. Cole, January, p. 35

**How extrusion variables affect properties of HDPE blown film,** C. V. Detter, November, p. 29

*13. Bottles*

**New process addresses bottleneck of PET bottles in market competition,** C. H. Wendt, February, p. 29

### C

*14. Capillary Rheometry*

**Obtain viscosity data from laboratory extruders with capillary dies,** E. A. Leach and H. G. Karian, May, p. 69

**Correction of entrance pressure loss in capillary rheometry,** J. T. Chung, September, p. 35

*15. Cavity Manufacture*

**Hobbing—a money saving alternative to machining cavities,** S. Gullage, January, p. 27

*16. Coatings*

**A sprayed zinc coating is the most effective EMI shield for plastics,** M. L. Thorpe, April, p. 23

*17. Color*

**Alloys of PC and ABS exhibit color stability indoors,** S. L. Cohen, N. R. Lazear, and M. P. Dubreuil, August, p. 23

*18. Conductive Torpedoes*

**Hot-runner systems with conductive torpedoes designed for PET preforms,** E. H. Neumann, September, p. 21

*19. Connectors*

**Four thermoplastic resins give high performance in electrical connectors,** P. J. Boeke, February, p. 25

*20. Containers*

**Design multilayer plastic containers around your needs,** S. Date, May, p. 73

*21. Controls*

**Controls with muscle: hydraulic systems—part 1,** N. Peach, January, p. 23

**Controls with muscle: hydraulic systems—part 2,** N. Peach, February, p. 21

**Control technology—Part 1: Control concepts,** N. Peach, November, p. 19

*22. Cooling*

**Blown-film cooling: an update,** R. J. Cole, January, p. 35

*23. Copolymer*

**Segmented polyether-ester copolymers are thermoplastic elastomers,** R. D. Souffie, March, p. 21

*24. Cost-Effective Fillers*

**Hollow glass microspheres: a cost-effective lightweight filler,** B. W. Sands, C. W. Howes, and L. H. Smiley, April, p. 31

### D

*25. Design*

**Engineering plastics—new materials challenge design and process,** J. A. Mock, January, p. 17

*26. Design-Initiated Problems*

**Identifying common design-initiated problems with injection-molded parts,** W. J. Fallows III, December, p. 27

*27. Dies*

**Obtain viscosity data from laboratory extruders with capillary dies,** E. A. Leach and H. G. Karian, May, p. 69

*28. DOA Alternatives*

**Alternative adipates to DOA in foodwrap film,** H. P. Harris, M. T. Payne, and M. T. Mieure, October, p. 25

### E

*29. Elastomers*

**Segmented polyether-ester copolymers are thermoplastic elastomers,** R. D. Souffie, March, p. 21

### 30. Electrical

**Four thermoplastic resins give high performance in electrical connectors,** P. J. Boeke, February, p. 24

### 31. EMI Shielding

**A sprayed zinc coating is the most effective EMI shield for plastics,** M. L. Thorpe, April, p. 23

### 32. Extruders

**Obtain viscosity data from laboratory extruders with capillary dies,** E. A. Leach and H. G. Karian, May, p. 69

**How screw wear affects extruder performance and what it costs,** D. C. Lounsbury, September, p. 31

### 33. Extrusion

**How to make thin gage transparent vinyl sheet by an extrusion process,** P. R. Schwaegerle and R. C. Neuman, June, p. 39

**Convert LDPE film lines for LLDPE extrusion,** S. J. Kurtz, L. S. Scarola, and J. C. Miller, June, p. 45

**How extrusion variables affect properties of HDPE blown film,** C. V. Detter, November, p. 29

## F

### 34. Fibers

**Polymer Technology—Part 5: Commodity thermoplastics and fibers,** J. R. Fried, December, p. 21

### 35. Fiber–Reinforced Plastics

**New applications keep in step with material and processing advances of glass fiber—reinforced plastics,** J. S. Hearons, December, p. 17

### 36. Fillers

**Hollow glass microspheres: a cost-effective lightweight filler,** B. W. Sands, C. W. Howes, and L. H. Smiley, April, p. 31

### 37. Film

**Convert LDPE film lines for LLDPE extrusion,** S. J. Kurtz, L. S. Scarola, and J. C. Miller, June, p. 45

**Formulating blends of LLDPE and LDPE to design better film,** C. S. Speed, July, p. 39

**Alternative adipates to DOA in foodwrap film,** H. P. Harris, M. T. Payne, and J. P. Mieure, October, p. 25

**How extrusion variables affect properties of HDPE blown film,** C. V. Detter, November, p. 29

**Planishing: The way to get stress-free films with uniform surfaces,** G. Rusincovitch, November, p. 31

### 38. Flame Retardants

**An update in flame retardants,** J. A. Mock, February, p. 17

### 39. Foams

**Sodium borohydride—a novel blowing agent for structural foams,** J. A. Gribens and N. M. Rei, March, p. 29

**Improved technology of rotationally molded foam brings new applications,** R. L. Heck III, November, p. 37

### 40. Food Safety

**Federal food-safety laws: a change in perspective,** J. H. Heckman, July, p. 17

### 41. Foodwrap Film

**Alternative adipates to DOA in foodwrap film,** H. P. Harris, M. T. Payne, and J. P. Mieure, October, p. 25

## G

### 42. Glass Reinforcements

**Hollow glass microspheres: a cost-effective lightweight filler,** B. W. Sands, C. W. Howes, and L. H. Smiley, April, p. 31

**New applications keep in step with materials and processing advances of glass fiber-reinforced plastics,** J. S. Hearons, December, p. 17

## H

### 43. Heated Runners

**Hot-runner systems with conductive torpedoes designed for PET preforms,** E. H. Neumann, September, p. 21

### 44. HDPE

**How extrusion variables affect properties of HDPE blown film,** C. V. Detter, November, p. 29

### 45. Hobbing

**Hobbing—a money saving alternative to machining cavities,** S. Gullage, January, p. 27

### 46. Hydraulic Systems

**Controls with muscle: hydraulic systems—part 1,** N. Peach, January, p. 23

**Controls with muscle: hydraulic systems—part 2,** N. Peach, February, p. 21

**Variable-volume pumps pay their way in hydraulic systems,** A. Ansorge, April, p. 27

## I

### 47. Injection-Molded Parts: Design Problems

**Identifying common design-initiated problems with injection-molded parts,** W. J. Fallows III, December, p. 27

## L

### 48. Laws

**Federal food-safety laws: a change in perspective,** J. H. Heckman, July, p. 17

### 49. LDPE and LLDPE Film

**Convert LDPE film lines for LLDPE extrusion,** S. J. Kurtz, L. S. Scarola, and J. C. Miller, June, p. 45

**Formulating blends of LLDPE and LDPE to design better film,** C. S. Speed, July, p. 39

### 50. LLDPE

**Convert LDPE film lines for LLDPE extrusion,** S. J. Kurtz, L. S. Scarola, and J. C. Miller, June, p. 45

**Formulating blends of LLDPE and LDPE to design better film,** C. S. Speed, July, p. 39

**Stabilizing LLDPE with antioxidants during processing—and afterward,** G. Scarry and P. D. Smith, December, p. 37

## M

### 51. Materials

**Engineering plastics—new materials challenge design and process,** J. A. Mock, January, p. 17

### 52. Microspheres

**Hollow glass microspheres: a cost-effective lightweight filler,** B. W. Sands, C. W. Howes, and L. H. Smiley, April, p. 31

### 53. Molding

**Molding tricky amide-imide polymers,** L. Spaulding, March, p. 25

**Build small-part molds that double for prototyping and production runs,** R. M. Lien, May, p. 61

**Design molds with moving sections to blow irregularly shaped parts,** D. L. Peters, October, p. 21

**Tips on molding modified PET parts,** L. R. Burke and J. M. Newcome, October, p. 35

### 54. Molecular Weight

**Polymer Technology—Part 3: MW averages,** J. R. Fried, August, p. 27

## N

### 55. NATEC

**Report from Bal Harbour on . . . SPE's NATEC on the ABCs of Plastics,** Dec. 1982, p. 13

## O

### 56. Organic Pigments

**Organic pigments can take the pressure off processors,** H.-H. Bunge, July, p. 43

### 57. PC and ABS Alloys

**Alloys of PC and ABS exhibit color stability indoors,** S. L. Cohen, N. R. Lazear, and M. P. Dubreuil, August, p. 23

P

*58. Performance Upgrading*

**Upgrading plastics performance—Part 1,** M. R. Kamal, November, p. 23

**Upgrading plastics performance—Part 2,** M. R. Kamal, December, p. 31

*59. PET*

**New process addresses bottleneck of PET bottles in market competition,** C. H. Wendt, February, p. 29

**Hot-runner systems with conductive torpedoes designed for PET preforms,** E. H. Neumann, September, p. 21

**Tips on molding modified PET parts,** L. R. Burke and J. M. Newcome, October, p. 35

*60. Pigments*

**Organic pigments can take the pressure off processors,** H.-H. Bunge, July, p. 43

*61. Planishing*

**Planishing: The way to get stress-free films with uniform surfaces,** G. Rusincovitch, November, p. 31

*62. Polyether-ester*

**Segmented polyether-ester copolymers are thermoplastic elastomers,** R. D. Souffie, March, p. 21

*63. Polymers*

**Molding tricky amide-imide polymers,** L. D. Spaulding, March, p. 25

**Polymer Technology—Part 1: The polymers of commercial plastics,** J. R. Fried, June, p. 49

**Polymer Technology—Part 2—Polymer properties in the solid state,** J. R. Fried, July, p. 27

**Polymer Technology—Part 3: MW averages,** J. R. Fried, August, p. 27

**Polymers Technology—Part 4: The chemistry of high polymers,** J. R. Fried, October, p. 27

**Polymer Technology—Part 5: Commodity thermoplastics and fibers,** J. R. Fried, December, p. 21

*64. Polyolefin Stabilization*

**Stabilizers and antioxidants for polyolefins—an update,** J. A. Mock, April, p. 35

*65. Preforms*

**Blow parts from preforms open at both ends,** G. R. VerHage, July, p. 23

**Hot-runner systems with conductive torpedoes designed for PET preforms,** E. H. Neumann, September, p. 21

*66. Pressure in Rheometers*

**Correction of entrance pressure loss in capillary rheometry,** J. T. Chung, September, p. 35

*67. Processing*

**Engineering plastics—new materials challenge design and process,** J. A. Mock, January, p. 17

**Plastics processing—key to the applications of the eighties,** R. Wark and R. Eller, January, p. 31

**New process addresses bottleneck of PET bottles in market competition,** C. H. Wendt, February, p. 29

**How to make thin gage transparent vinyl sheet by an extrusion process,** P. R. Schwaegerle and R. C. Neuman, June, p. 39

**Processing trends 1982—Productivity in the process,** August, p. 13

**Additives continue to address processing needs,** September, p. 26

**New applications keep in step with material and processing advances of glass fiber-reinforced plastics,** J. S. Hearons, December, p. 17

**Stabilizing LLDPE with antioxidants during processing—and afterward,** G. Scarry and P. D. Smith, December, p. 37

*68. Prototyping*

**Build small-part molds that double for prototyping and production runs,** R. M. Lien, May, p. 61

*69. Pumps*

**Variable-volume pumps pay their way in hydraulic systems,** A. Ansorge, April, p. 27

R

*70. Resins in Connectors*

**Four thermoplastic resins give high performance in electrical connectors,** P. J. Boeke and J. S. Dix, February, p. 25

*71. Retardants: Flame*

**An update in flame retardants,** J. A. Mock, February, p. 17

*72. Rheometry*

**Correction of entrance pressure loss in capillary rheometry,** J. T. Chung, September, p. 35

S

*73. Screw Wear*

**How screw wear affects extruder performance and what it costs,** D. C. Lounsbury, September, p. 31

*74. Shielding*

**A sprayed zinc coating is the most effective EMI shield for plastics,** M. L. Thorpe, April, p. 23

*75. Sodium-borohydride*

**Sodium borohydride—a novel blowing agent for structural foams,** J. A. Gribens and N. M. Rei, March, p. 29

*76. Solid-State Properties*

**Polymer Technology—Part 2—Polymer properties in the solid state,** J. R. Fried, July, p. 27

*77. SPE Directory*

**1982-1983 SPE Directory,** October, p. 14

*78. Stabilizers*

**Stabilizers and antioxidants of polyolefins—an update,** J. A. Mock, April, p. 35

*79. Stress-Free Films*

**Planishing: The way to get stress-free films with uniform surfaces,** G. Rusincovitch, November, p. 31

*80. Structural Foam*

**Sodium borohydride—a novel blowing agent for structural foams,** J. A. Gribens and N. M. Rei, March, p. 29

T

*81. Thermoplastics*

**Four thermoplastic resins give high performance in electrical connectors,** P. J. Boeke and J. S. Dix, February, p. 25

**Segmented polyether-ester copolymers are thermoplastic elastomers,** R. D. Souffie, March, p. 21

**Polymer Technology—Part 5: Commodity thermoplastics and fibers,** J. R. Fried, December, p. 21

*82. Transparent Vinyl Sheet*

**How to make thin gage transparent vinyl sheet by an extrusion process,** P. R. Schwaegerle and R. C. Neuman, June, p. 39

U

*83. Uniform Surfaces*

**Planishing: The way to get stress-free films with uniform surfaces,** G. Rusincovitch, November, p. 31

V

*84. Variable-Volume Pumps*

**Variable-volume pumps pay their way in hydraulic systems,** A. Ansorge, April, p. 27

*85. Vinyl Sheet*

**How to make thin gage transparent vinyl sheet by an extrusion process,** P. R. Schwaegerle and R. C. Neuman, June, p. 39

*86. Viscosity Data*

**Obtain viscosity data from laboratory extruders with capillary dies,** E. A. Leach and H. G. Karian, May, p. 69

W

*87. Waste*

**Municipal plastic waste: a largely untapped resource,** D. L. Caputo, February, p. 33

Z

*88. Zinc Coating*

**A sprayed zinc coating is the most effective EMI shield for plastics,** M. L. Thorpe, April, p. 23

# author index

Numbers refer to category headings in subject and title index, i.e., 36 see "Fillers"


**Ansorge, A.** 46, 69, 84
**Boeke, P. J.** 19, 30, 70, 81
**Bunge, H.-H.** 56, 60
**Burke, L. R.** 53, 59
**Caputo, D. L.** 87
**Chung, J. T.** 14, 66, 72
**Cohen, S. L.** 1, 4, 17, 57
**Cole, R. J.** 12, 22
**Date, S.** 20
**Detter, C. V.** 12, 33, 37, 44
**Dix, J. S.** 70, 81
**Dubreuil, M. P.** 1, 4, 17, 57
**Eller, R.** 8, 67
**Fallows III, W. J.** 26, 47
**Fried, J. R.** 34, 54, 63, 76, 81
**Gribens, J. A.** 11, 39, 75, 80
**Gullage, S.** 15, 45
**Harris, H. P.** 3, 28, 37, 41
**Hearons, J.** 8, 35, 42, 67
**Heck III, R. L.** 39
**Heckman, J. H.** 40, 48
**Howes, C. W.** 24, 36, 42, 52
**Kamal, M. R.** 58
**Karian, H. G.** 14, 27, 32, 86
**Kurtz, S. J.** 33, 37, 49, 50
**Lazear, N. R.** 1, 4, 17, 57
**Leach, E. A.** 14, 27, 32, 86
**Lien, R. M.** 53, 68
**Lounsbury, D. C.** 32, 73
**Mieure, J. P.** 3, 28, 37, 41
**Miller, J. C.** 33, 37, 49, 50
**Mock, J. A.** 2, 7, 25, 38, 51, 64, 67, 71, 78
**Neumann, E. H.** 18, 43, 59, 65
**Neuman, R. C.** 33, 67, 82, 85
**Newcome, J. M.** 53, 59
**Payne, M. T.** 3, 28, 37, 41
**Peach, N.** 21, 46
**Peters, D. L.** 11, 53
**Rei, N. M.** 11, 39, 75, 80
**Rusincovitch, G.** 37, 79, 83
**Sands, B. W.** 24, 36, 42, 52
**Scarola, L. S.** 33, 37, 49, 50
**Scarry, G.** 7, 50, 67
**Schwaegerle, P. R.** 33, 67, 82, 85
**Smiley, L. H.** 24. 36, 42, 52
**Smith, P. D.** 7, 50, 67
**Souffie, R. D.** 23, 29, 62, 81
**Spaulding, L. D.** 5, 53, 63
**Speed, C. S.** 10, 37, 49, 50
**Thorpe, M. L.** 16, 31, 74, 88
**Verhage, G. R.** 11, 65
**Wark, R.** 8, 67
**Wendt, C. H.** 13, 59, 67